




| REVISION HISTORY |      |          |
|------------------|------|----------|
| REV.             | DATE | APPROVED |
| 0                |      |          |



| SCALE       |  | MATERIAL     |  | TITLE OF PART |  | GENERAL ASSEMBLY |  | PART NUMBER                       |  |
|-------------|--|--------------|--|---------------|--|------------------|--|-----------------------------------|--|
| 1:5         |  | ADAM MIGALLA |  | DATE          |  | 25/01/2018       |  | DRG 1368D-12                      |  |
| DESIGNED BY |  | E. CRICHTON  |  | SIGNATURE     |  | REVISION         |  | ALL DIMENSIONS ARE IN MILLIMETERS |  |
| DRAWN BY    |  |              |  | DATE          |  | 0                |  | TOLERANCES                        |  |
| CHECKED BY  |  |              |  |               |  | N/A              |  | UNLESS OTHERWISE SPECIFIED        |  |
| APPROVED BY |  | B. AITKEN    |  |               |  | REPLACES DRAWING |  | UP TO ± 0.05                      |  |
| SHEET SIZE  |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
| A3          |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  | OTHER THAN ± 0.05                 |  |
|             |  |              |  |               |  |                  |  |                                   |  |



## D01-AH8 REV1



Hoist Body - TCR-6000/2

10.10.16


D01-AH8 REV1

| Fig. No. | Part Number | Part Name                        | Parts Per Hoist |
|----------|-------------|----------------------------------|-----------------|
| 035      | 426325150   | ROTOR                            | 1               |
| 036      | 426325160   | STATOR                           | 1               |
| 037      | 426325170   | FRON PLATE                       | 1               |
| 038      | 426325180   | REAR PLATE                       | 1               |
| 039      | 426325190   | REAR RETAINER                    | 1               |
| 040      | 137102122   | VANE                             | 8               |
| 041      | 130802212   | LIFT SPRING                      | 8               |
| 042      | 130104004   | BEARING 6003                     | 2               |
| 043      | 131103004   | O-RING S-6                       | 1               |
| 044      | 131103026   | O-RING S-32                      | 1               |
| 045      | 130302017   | RETAINING RING S-17              | 1               |
| 046      | 131708105   | HEX SOCKET HEAD CAP SCREW M8X105 | 3               |
| 047      | 131307006   | WASHER M6                        | 1               |
| 048      | 130402054   | KNOCK PIN                        | 1               |
| 049      | 131708012   | HEX SOCKET HEAD CAP SCREW M8X12  | 4               |
| 050      | 426325200   | COUPLING                         | 1               |
| 051      | 426325212   | WHEEL HOUSING                    | 1               |
| 052      | 426325220   | HANGER PIN                       | 1               |
| 053      | 426325230   | SPACER                           | 1               |
| 054      | 420875MN0   | CHAIN END SET WASHER             | 1               |
| 055      | 130104019   | BEARING 6019                     | 1               |
| 056      | 130107013   | BEARING 6212                     | 1               |
| 057      | 134501016   | U-NUT M16                        | 1               |
| 058      | 131301016   | SPRING WASHER M16                | 1               |
| 059      | 131708030   | HEX SOCKET HEAD CAP SCREW M8X30  | 1               |
| 060      | 131708012   | HEX SOCKET HEAD CAP SCREW M8X12  | 2               |
| 061      | 132108020   | HEX SOCKET SET SCREW M8X20       | 1               |
| 063      | 426325730   | SET PIECE                        | 1               |
| 070      | 426325400   | BRAKE PISTON                     | 1               |
| 071      | 426325410   | BRAKE COVER                      | 1               |
| 072      | 426325420   | PISTON COVER                     | 1               |
| 073      | 426325430   | BRAKE DISC                       | 1               |
| 074      | 130408084   | KEY                              | 2               |
| 075      | 130802213   | DISC SPRING                      | 6               |
| 076      | 131103008   | O-RING S-10                      | 1               |
| 077      | 131101004   | O-RING P-6                       | 1               |
| 078      | 131103063   | O-RING S-135                     | 1               |
| 079      | 131706012   | HEX SOCKET HEAD CAP SCREW M6X12  | 2               |
| 080      | 131706030   | HEX SOCKET HEAD CAP SCREW M6X30  | 4               |
| 081      | 131117030   | O-RING AS568-030                 | 1               |
| 085      | 426325240   | CAGE                             | 1               |
| 086      | 426325250   | STAR GEAR                        | 3               |
| 087      | 426325260   | PIN                              | 3               |
| 088      | 426325270   | THRUST COLLAR                    | 6               |
| 090      | 426325290   | PINION                           | 1               |
| 091      | 426325300   | WHEEL                            | 1               |
| 092      | 426325310   | GEAR CASE                        | 1               |
| 093      | 426325320   | RING GEAR                        | 1               |
| 095      | 426325340   | DOWEL PIN                        | 4               |
| 096      | 426325351   | CHAIN GUIDE                      | 1               |

| Fig. No. | Part Number | Part Name                        | Parts Per Hoist |
|----------|-------------|----------------------------------|-----------------|
| 097      | 426325360   | CHAIN SEPARATOR                  | 1               |
| 098      | 426325380   | BRAKE TUBE                       | 1               |
| 099      | 426325371   | BOTTOM PLATE                     | 1               |
| 100      | 130104004   | BEARING 6003                     | 2               |
| 101      | 130104010   | BEARING 6009                     | 2               |
| 102      | 130104005   | BEARING 6004                     | 12              |
| 103      | 131103058   | O-RING S-115                     | 1               |
| 104      | 131103063   | O-RING S-135                     | 1               |
| 105      | 130302020   | RETAINING RING S-20              | 3               |
| 106      | 130302060   | RETAINING RING S-60              | 1               |
| 107      | 130302017   | RETAINING RING S-17              | 3               |
| 108      | 130301035   | RETAINING RING H-35              | 2               |
| 109      | 130303005   | RETAINING RING E-5               | 1               |
| 110      | 131706012   | HEX SOCKET HEAD CAP SCREW M6X12  | 12              |
| 111      | 131708080   | HEX SOCKET HEAD CAP SCREW M8X89  | 4               |
| 112      | 131708016   | HEX SOCKET HEAD CAP SCREW M8X16  | 2               |
| 113      | 130406028   | PARALLEL PIN 10X23               | 2               |
| 114      | 130301042   | RETAINING RING H-42              | 6               |
| 115      | 420890PAF   | HOOK CP                          | 2               |
| 115A     | 420890PF1   | HOOK                             | 1               |
| 115B     | 420890P11   | HOOK SAFETY CLAW                 | 1               |
| 115C     | 130802046   | HOOK SPRING                      | 1               |
| 115D     | 131704028   | HEX SOCKET HEAD CAP SCREW M4X28  | 1               |
| 115E     | 134501004   | U-NUT M4                         | 1               |
| 117      | 426335690   | HOOK ANCHOR                      | 1               |
| 118      | 426335710   | THRUST RING                      | 1               |
| 119      | 130121111   | THRUST BEARING 51111             | 1               |
| 120      | 420890QF0   | UPPER HOOK METAL                 | 1               |
| 121      | 420890JG0   | CHAIN JOINT PIN                  | 1               |
| 122      | 420890RB0   | FREE CHAIN WHEEL                 | 1               |
| 123      | 420890QH0   | UNDER HOOK METAL COVER           | 2               |
| 124      | 426335590   | UNDER HOOK METAL                 | 1               |
| 125      | 131712050   | HEX SOCKET HEAD CAP SCREW M12X50 | 2               |
| 126      | 131712065   | HEX SOCKET HEAD CAP SCREW M12X65 | 1               |
| 127      | 131612090   | HEX HEAD SCREW M12X90            | 1               |
| 128      | 134501012   | U-NUT M12                        | 6               |
| 129      | 134401012   | HEX NUT M12                      | 1               |
| 130      | 131712055   | HEX SOCKET HEAD CAP SCREW M12X55 | 2               |
| 131      | AHC112/80   | LINK CHAIN 11.2 x 34 mm          | HOL             |
| 132      | 131301012   | SPRING WASHER M12                | 7               |
| 134      | 130109012   | BEARING 6211ZZ                   | 2               |
| 170      | 426325C90   | STAY                             | 1               |
| 171      | 131708015   | HEX SOCKET HEAD CAP SCREW M8X15  | 1               |
| 172      | 130604010   | SPRING PIN 4X10                  | 1               |
| 180      | 420645JF0   | CHAUN DOWN STOPPER               | 2               |
| 181      | 131708035   | HEX SOCKET HEAD CAP SCREW M8X35  | 2               |
| 182      | 134401008   | HEX NUT M8                       | 2               |
| 183      | 131301008   | SPRING WASHER M8                 | 2               |
| 234      | 130406005   | PARALLEL PIN 4X10 (H7)           | 2               |



## D01-AH8 REV1





Pendant Body - TCR-6000/2  
10.10.16

D01-AH8 REV1

| Fig. No. | Part Number | Part Name                              | Parts Per Hoist |
|----------|-------------|----------------------------------------|-----------------|
| 065      | 426325740   | CAM                                    | 1               |
| 067      | 426325113   | CHAIN LEVER                            | 1               |
| 068      | 132108008   | HEX SOCKET SET SCREW M8X8              | 1               |
| 140      | 426325461   | LIMIT SHAFT                            | 1               |
| 141      | 130802217   | SPRING 19.5X25X2.6                     | 2               |
| 149      | 426325C30   | MAIN BUSHING                           | 1               |
| 151      | 132805010   | HEX FLAT HEAD MACHINE SCREW M5X10      | 4               |
| 156      | 130790012   | SNAP PIN 12                            | 1               |
| 157      | 426325750   | WASHER                                 | 1               |
| 159      | 134703070   | INLET BUSHING                          | 1               |
| 201      | 426224013   | MAIN SPOOL                             | 1               |
| 202      | 426224021   | BRAKE SPOOL                            | 1               |
| 203      | 426224C20   | SPOOL CYLINDER                         | 2               |
| 204      | 426224041   | BRAKE RETAINER                         | 1               |
| 205      | 426224051   | BRAKE NUT                              | 1               |
| 206      | 426224063   | VALVE BODY                             | 1               |
| 207      | 426224070   | TOP COVER                              | 1               |
| 208      | 426224083   | SIDE COVER (L)                         | 1               |
| 209      | 426224093   | SIDE COVER (R)                         | 1               |
| 210      | 426224101   | LIMIT GUIDE                            | 1               |
| 211      | 426224C40   | BRAKE BUSHING                          | 1               |
| 212      | 426224C50   | LIMIT BUSHING                          | 1               |
| 213      | 426224C60   | SPOOL PISTON                           | 2               |
| 214      | 426224C70   | SPRING SEAT                            | 2               |
| 215      | 426224140   | LIMIT LEVER                            | 1               |
| 216      | 130802216   | SPRING LEVER 15X59X2.4                 | 1               |
| 217      | 136102164   | SIDE PACKING (N)                       | 2               |
| 218      | 136102161   | VALVE PACKING                          | 1               |
| 219      | 136102192   | TOP PACKING                            | 1               |
| 220      | 136102163   | UNDER PACKING                          | 1               |
| 221      | 137402030   | EXHAUST SILENCER                       | 1               |
| 222      | 137402031   | NYLON SILENCER                         | 1               |
| 223      | 130301025   | RETAINING RING H-25                    | 1               |
| 224      | 130301058   | RETAINING RING H-58                    | 1               |
| 225      | 131706012   | HEX SOCKET HEAD CAP SCREW M6X12        | 2               |
| 226      | 131706025   | HEX SOCKET HEAD CAP SCREW M6X25        | 4               |
| 227      | 131706040   | HEX SOCKET HEAD CAP SCREW M6X40        | 3               |
| 228      | 131706060   | HEX SOCKET HEAD CAP SCREW M6X60        | 3               |
| 229      | 132405008   | CROSS-RECESSED HEAD MACHINE SCREW M5X8 | 2               |
| 230      | 132306035   | HEX SOCKET SET SCREW M6X35             | 1               |
| 231      | 134902003   | HEX SOCKET PIPE PLUG 1/8               | 1               |
| 232      | 134403006   | HEX NUT M6                             | 1               |
| 235      | 130604010   | SPRING PIN 4X10                        | 2               |
| 236      | 131103004   | O-RING S-6                             | 2               |
| 237      | 131103021   | O-RING S-26                            | 2               |
| 238      | 131103022   | O-RING S-28                            | 7               |
| 239      | 131103024   | O-RING S-30                            | 2               |


| Fig. No. | Part Number | Part Name      | Parts Per Hoist |
|----------|-------------|----------------|-----------------|
| 240      | 131103027   | O-RING S-34    | 2               |
| 241      | 136803032   | 1/2 NET SCREEN | 1               |



# RED ROOSTER LIFTING

Built-In Mains Emergency Stop Valve Pendant Body - TCR-6000/2  
13.05.21

D01-AH8 REV1



**Built-In Mains Emergency Stop Valve Pendant Body - TCR-6000/2**  
**13.05.21**

D01-AH8 REV1

| Fig. No. | Part Number | Part Name                              | Parts Per Hoist |
|----------|-------------|----------------------------------------|-----------------|
| 065      | 426325740   | CAM                                    | 1               |
| 067      | 426325113   | CHAIN LEVER                            | 1               |
| 068      | 132108008   | HEX SOCKET SET SCREW M8X8              | 1               |
| 134      | 137309082   | NAME PLATE                             | 1               |
| 140      | 426325461   | LIMIT SHAFT                            | 1               |
| 141      | 130802217   | SPRING 19.5X25X2.6                     | 2               |
| 149      | 426325C30   | MAIN BUSHING                           | 1               |
| 151      | 132805010   | HEX FLAT HEAD MACHINE SCREW M5X10      | 4               |
| 156      | 130790012   | SNAP PIN 12                            | 1               |
| 157      | 426325750   | WASHER                                 | 1               |
| 159      | 426327G60   | INLET BUSHING                          | 1               |
| 201      | 426224013   | MAIN SPOOL                             | 1               |
| 202      | 426224021   | BRAKE SPOOL                            | 1               |
| 203      | 426224C20   | SPOOL CYLINDER                         | 2               |
| 204      | 426224041   | BRAKE RETAINER                         | 1               |
| 205      | 426224051   | BRAKE NUT                              | 1               |
| 206      | 426226060   | VALVE BODY                             | 1               |
| 207      | 426224070   | TOP COVER                              | 1               |
| 208      | 426224083   | SIDE COVER (L)                         | 1               |
| 209      | 426224093   | SIDE COVER (R)                         | 1               |
| 210      | 426224101   | LIMIT GUIDE                            | 1               |
| 211      | 426224C40   | BRAKE BUSHING                          | 1               |
| 212      | 426224C50   | LIMIT BUSHING                          | 1               |
| 213      | 426224C60   | SPOOL PISTON                           | 2               |
| 214      | 426224C70   | SPRING SEAT                            | 2               |
| 215      | 426224140   | LIMIT LEVER                            | 1               |
| 216      | 130802216   | SPRING 15X59X2.4                       | 1               |
| 217      | 136102164   | SIDE PACKING (N)                       | 2               |
| 218      | 136102161   | VALVE PACKING                          | 1               |
| 219      | 136102192   | TOP PACKING                            | 1               |
| 220      | 136102163   | UNDER PACKING                          | 1               |
| 221      | 137402030   | EXHAUST SILENCER                       | 1               |
| 222      | 137402031   | NYLON SILENCER                         | 1               |
| 223      | 130301025   | RETAINING RING H-25                    | 1               |
| 224      | 130301058   | RETAINING RING H-58                    | 1               |
| 225      | 131706012   | HEX SOCKET HEAD CAP SCREW M6X12        | 2               |
| 226      | 131706025   | HEX SOCKET HEAD CAP SCREW M6X25        | 4               |
| 227      | 131706040   | HEX SOCKET HEAD CAP SCREW M6X40        | 3               |
| 228      | 131706060   | HEX SOCKET HEAD CAP SCREW M6X60        | 3               |
| 229      | 132405008   | CROSS-RECESSED HEAD MACHINE SCREW M5X8 | 2               |
| 230      | 132306035   | HEX SOCKET SET SCREW M6X35             | 1               |
| 231      | 134902003   | HEX SOCKET PIP PLUG 1/8                | 1               |
| 232      | 134403006   | HEX NUT M6                             | 1               |
| 235      | 130604010   | SPRING PIN 4X10                        | 2               |
| 236      | 131103004   | O-RING S-6                             | 2               |
| 237      | 131103021   | O-RING S-26                            | 2               |
| 238      | 131103022   | O-RING S-28                            | 7               |

| Fig. No. | Part Number | Part Name                       | Parts Per Hoist |
|----------|-------------|---------------------------------|-----------------|
| 239      | 131103024   | O-RING S-30                     | 2               |
| 240      | 131103027   | O-RING S-34                     | 2               |
| 241      | 136803032   | 1/2 NET SCREEN                  | 1               |
| 250      | 426226G70   | MAIN CUT BUSHING                | 1               |
| 251      | 426226G80   | MAIN CUT VALVE                  | 1               |
| 252      | 426226G90   | MAIN CUT CAP                    | 1               |
| 253      | 426226H00   | MAIN CUT HOLDER                 | 1               |
| 254      | 136102167   | MAIN CUT SEAT                   | 1               |
| 255      | 132904208   | CROSS RECESSED HEAD SCREWS M4X8 | 1               |
| 256      | 130301030   | RETAINING RING H-30             | 1               |
| 257      | 131117023   | O-RING AS568-023                | 3               |
| 258      | 131103016   | O-RING S-20                     | 1               |
| 259      | 131103014   | O-RING S-16                     | 2               |
| 366      | 137285010   | TUBE FITTING PL6-01             | 2               |



10.10.16

[illegible]



Cord Body - TCR-6000/2  
10.10.16



D01-AH8 REV1

| Fig. No. | Part Number | Part Name                                  | Parts Per Hoist |
|----------|-------------|--------------------------------------------|-----------------|
| 065      | 426325740   | CAM                                        | 1               |
| 067      | 426325113   | CHAIN LEVER                                | 1               |
| 068      | 132108008   | HEX SOCKET SET SCREW M8X8                  | 1               |
| 140      | 426326461   | LIMIT SHAFT                                | 1               |
| 141      | 130802217   | SPRING 19.5X25X2.6                         | 2               |
| 142      | 426225470   | UNDER COVER                                | 1               |
| 143      | 426225540   | CORD LEVER                                 | 1               |
| 144      | 130802081   | S-TYPE WIRE                                | 2               |
| 145      | 138001015   | CHANGE CORD (HOL)                          | 2               |
| 149      | 426325C30   | MAIN BUSHING                               | 1               |
| 150      | 131706018   | HEX SOCKET HEAD CAP SCREW M6X18            | 1               |
| 151      | 132805010   | HEX FLART HEAD MACHINE SCREW M5X10         | 4               |
| 156      | 130790012   | SNAP PIN 12                                | 1               |
| 157      | 426325750   | WASHER                                     | 1               |
| 159      | 134703070   | INLET BUSHING                              | 1               |
| 190      | 136602625   | GRIP (W)                                   | 1               |
| 191      | 136602626   | GRIP (R)                                   | 1               |
| 192      | 136602627   | HANDLE                                     | 1               |
| 201      | 426224013   | MAIN SPOOL                                 | 1               |
| 202      | 426224021   | BRAKE SPOOL                                | 1               |
| 203      | 426224C20   | SPOOL CYLINDER                             | 2               |
| 204      | 426224041   | BRAKE RETAINER                             | 1               |
| 205      | 426224051   | BRAKE NUT                                  | 1               |
| 206      | 426224063   | VALVE BODY                                 | 1               |
| 207      | 426224070   | TOP COVER                                  | 1               |
| 208      | 426224083   | SIDE COVER (L)                             | 1               |
| 209      | 426224093   | SIDE COVER (R)                             | 1               |
| 210      | 426224101   | LIMIT GUIDE                                | 1               |
| 211      | 426224C40   | BRAKE BUSHING                              | 1               |
| 212      | 426224C50   | LIMIT BUSHING                              | 1               |
| 213      | 426224C60   | SPOOL PISTON                               | 2               |
| 214      | 426224C70   | SPRING SEAT                                | 2               |
| 215      | 426224140   | LIMIT LEVER                                | 1               |
| 216      | 130802216   | SPRING 15X59X2.4                           | 1               |
| 217      | 136102164   | SIDE PACKING (N)                           | 2               |
| 218      | 136102161   | VALVE PACKING                              | 1               |
| 219      | 136102192   | TOP PACKING                                | 1               |
| 220      | 136102163   | UNDER PACKING                              | 1               |
| 221      | 137402030   | EXHAUST SILENCER                           | 1               |
| 222      | 137402031   | NYLON SILENCER                             | 1               |
| 223      | 130301025   | RETAINING RING H-25                        | 1               |
| 224      | 130301058   | RETAINING RING H-58                        | 1               |
| 225      | 131706012   | HEX SOCKET HEAD CAP SCREW M6X12            | 2               |
| 226      | 131706025   | HEX SOCKET HEAD CAP SCREW M6X25            | 4               |
| 227      | 131706040   | HEX SOCKET HEAD CAP SCREW M6X40            | 3               |
| 228      | 131706060   | HEX SOCKET HEAD CAP SCREW M6X60            | 3               |
| 229      | 132405008   | CROSS-RECESSED HEAD CAP MACHINE SCREW M5X8 | 2               |

| Fig. No. | Part Number | Part Name                  | Parts Per Hoist |
|----------|-------------|----------------------------|-----------------|
| 230      | 132306035   | HEX SOCKET SET SCREW M6X35 | 1               |
| 231      | 134902003   | HEX SOCKET PIPE PLUG 1/8   | 3               |
| 232      | 134403006   | HEX NUT M6                 | 1               |
| 235      | 130604010   | SPRING PIN 4X10            | 2               |
| 236      | 131103004   | O-RING S-6                 | 2               |
| 237      | 131103021   | O-RING S-26                | 2               |
| 238      | 131103022   | O-RING S-28                | 7               |
| 239      | 131103024   | O-RING S-30                | 2               |
| 240      | 131103027   | O-RING S-34                | 2               |
| 241      | 136803032   | 1/2 NET SCREEN             | 1               |

RED ROOSTER 2 STATION PENDANT - RRI-VTP2

| ITEM | PART NO.             | DESCRIPTION              | QTY |
|------|----------------------|--------------------------|-----|
| 1    | 105P                 | M4 x 20 SCREW HEAD       | 4   |
| 2    | E/STOP/GUARD01       | GUARD FOR EMERGENCY STOP | 1   |
| 3    | 133/1P               | M4 NYLOCK                | 4   |
| 4    | BIK3206P-BS54        | E-STOP BUTTON            | 1   |
| 5    | 304P                 | 1/8" TO 6mm BANJO        | 4   |
| 6    | P118                 | 90° ELBOW 6mm            | 2   |
| 7    | P112                 | 4 WAY JUNCTION           | 1   |
| 8    | 301P                 | 8mm TO 6 mm CONNECTOR    | 1   |
| 10   | BIK-3209-P-VALVE     | PENDANT VALVE            | 2   |
| 11   | P087                 | 1/8" TO 6mm PUSH FIT     | 2   |
| 12   | TP/2/HOUS            | 2 STATION HOUSING        | 1   |
| 14   | BIK-3209-294-B-COVER | COVER FOR BIK VALVES     | 2   |
| 15   | XAC-B-LEGEND-UP      | UP LEGEND                | 1   |
| 16   | XAC-B-LEGEND-DOWN    | DOWN LEGEND              | 1   |
| 19   | HP7                  | 6mm TUBE                 | 4   |
| 24   | P116                 | 6mm BLANKING PLUG        | 1   |



RED ROOSTER 2 STATION PENDANT - RRI-VTP2M

| ITEM | PART NO.             | DESCRIPTION                       | QTY |
|------|----------------------|-----------------------------------|-----|
| 1    | 105P                 | M4 x 20 SCREW HEAD                | 4   |
| 2    | E/STOP/GUARD01       | GUARD FOR EMERGENCY STOP          | 1   |
| 3    | 133/1P               | M4 NYLOCK NUT                     | 4   |
| 4    | BIK3206P-BS54        | EMERGENCY STOP BUTTON             | 1   |
| 5    | 304P                 | 8mm TO 6mm BANJO                  | 4   |
| 6    | P118                 | 90° ELBOW 6mm                     | 2   |
| 7    | P112                 | 4 WAY JUNCTION                    | 1   |
| 8    | 301P                 | 8mm to 6mm REDUCER                | 1   |
| 10   | BIK-3209-P-V-VALVE   | PENDANT VALVE                     | 2   |
| 11   | P087                 | 1/8" TO 6mm PUSHFIT               | 2   |
| 12   | TP2/HOUS/M           | 2 STATION PENDANT                 | 1   |
| 14   | BIK-3209-294-B-COVER | COVER FOR BIK VALVES              | 2   |
| 15   | XAC-B-LEGEND-UP      | UP LEGEND                         | 1   |
| 16   | XAC-B-LEGEND-DOWN    | DOWN LEGEND                       | 1   |
| 19   | HP7                  | 6mm SMC TUBE                      | 4   |
| 20   | P245                 | 1/8" TO 6mm BULKHEAD AND NUT      | 4   |
| 21   | DRG 2652-01          | PLATE                             | 1   |
| 22   | P071/1               | 1/8" BSP NIPPLE CW CONE           | 4   |
| 23   | 122P                 | M6 x 20 HEX BOLT                  | 2   |
| 24   | P117                 | 8mm BLANKING PLUG                 | 1   |
| 25   | 139P                 | M6 NYLOCK NUT                     | 2   |
| 26   | 145P                 | M6 WASHER                         | 2   |
| 27   | P016/1               | 1/8" BSP SWIVEL TO 1/4" HOSE TAIL | 4   |
| 28   | P002/1               | 1/4" HOSE FERRULES                | 4   |

